

PERGO®

ORIGINAL LAMINATE



FLOORS FOR REAL LIFE



formats **4**

environment **6**

endless plank™ **8**

natural variation™ **10**

total design **12**

inspiration **16**

quality levels **60**

installation **65**

finishes **66**

decors **68**

total design collection **76**

domestic extra collection **78**

accessories **80**

matching matrix **96**

technical guide **98**

84

**DECORS IN THREE
QUALITY LEVELS!**

read more on page 61

Original durability

There is ordinary laminate flooring – and then there is Pergo. The Original. We invented laminate flooring 35 years ago, and we continue to lead the way in developing appearance, durability, feel and environmental credentials.

As the inventors of laminate flooring, we know the challenges of finding the right floor better than anyone. It's about finding a design you want to live with for many years to come. But Pergo original laminate offers more advantages than meets the eye. It's easy to install, and incredibly durable, which means it can withstand years of use and still look beautiful.

Furthermore, all our designs are available in three different quality levels. This makes finding the ideal floor easy. Just select the design you want, and we'll guide you to the quality level you need in the different rooms of your home. All designs have the exact same decor, surface, format and bevels across all quality levels to ensure a seamless transition from room to room.

Welcome to Pergo. Floors for real life.



A format for every room

When it comes to flooring, the decor plays a major part in deciding the look of a room. But the format also contributes to the overall impression of your new floor.

Pergo laminate floors are available in four different formats. From long planks that create a modern, spacious ambience, to classic slabs with block designs. Several floors have bevelled edges to enhance the feeling of wooden planks or genuine ceramic tiles.


The different formats allow you to transform the feeling of the entire room. Make it wider, narrower, longer, darker or lighter – the options are endless! Go to pergo.com to find more examples of how different formats can alter the look of your home.



1: 1200 x 123 mm. 2: 1200 x 190 mm. 3: 1224 x 408 mm. 4: 2050 x 205 mm.



* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).



Floors for the environment

At Pergo, we are dedicated to the environment. The one we create in your home, as well as the one we share. Caring for the environment has played a central role in everything we do since we first began making laminate floors. It affects our products, our production, and our choice of raw materials, processes, suppliers, transportation and packaging.

Recycling is a key part of our environmental policy. 80% of the content of our products consists of wood surplus from the wood industry. We use only renewable wood products such as pine and spruce – never exotic woods or wood from rainforests that are threatened with extinction.

We are also the first flooring manufacturer to ever achieve the official Nordic Ecolabel, the Green Swan. The Swan certifies that our products are certified as a good environmental choice with respect to the product's overall impact on the environment, from raw material to waste. Our PEFC certified products (Programme for the Endorsement of Forest Certification schemes)

signify that the wood used in these products originate from sustainably managed forests.

Another environmental advantage of Pergo laminate floors is the high amount of thermal energy that can be extracted when burned at waste incineration plants. We use this property to increase the energy efficiency of our own operations, recycling all wood waste from our milling and sawing processes to heat our production facilities.

Environmentally responsible, beautiful and long-lasting – Pergo is a good buy from every point of view.





The floor that goes on forever

Long planks is the hottest flooring trend around, and it is easy to see why. They create an irresistible feeling of space, and add an unmistakably contemporary character to any room.

Pergo EndlessPlank™ is a floor that creates the illusion of a never-ending plank. All decors match perfectly at the end of each plank, forming a continuous design flow that stretches from one wall to the other. Our brand new cracked oak design is a great example

of how Pergo EndlessPlank™ adds character to a room. The impressive rustic country style, with realistic cracks and grooves, brings the endless effect to life, creating a truly unique floor experience. The floor that lasts forever, now goes on forever too.



**A PERGO
INNOVATION**



Personality included

At Pergo, we don't settle for designing authentic decors – we push development by introducing smart technologies that make laminate flooring even more sophisticated.

Our innovative and patented feature Natural Variation™ has added a whole new dimension to laminate floor design. Thanks to a special technique that randomly gives each plank a chalked, and naturally rustic look, hundreds

of different variations are created. The result is an unbeatable and very unique combination. The naturally distinct character of wood, but with all the advantages of a laminate floor.

**VINTAGE
FEELING**
BY PERGO



CHALKED TAUPE OAK, PLANK L0208-01811





TOTALdesign

Redefining the extraordinary

**FLOORING
WITH
AN EDGE**

What can a floor look like? With Pergo TotalDesign, the answer to this question is challenged with every new collection.

Olaf Leonhardt, creative director at Pergo, is the innovative force behind TotalDesign. He has created a collection that sets out to explore floor designs that go beyond the conventional. It's about discovering what happens when we push the limits of our imagination, and the delight we feel after taking a bold leap.

TotalDesign is also proof that nothing is impossible when it comes to a laminate floor. Drawing inspiration from current trends, the design can be playful, extravagant, inspiring. But always strikingly different. The eight new decors in our TotalDesign collection are no exception.

TotalDesign. Take it all the way!



ARTIST GOLD L0518-01842

Adding the special touches

Pergo is so much more than just beautiful floors. We know that the look of a room is enhanced by accessories and underlays that allow you to create the total impression you want.

Wallbases and mouldings help accentuate and complete the look of your floor.

Other accessories are less visible, but no less noticeable. Like our new selection of underlays, for example. They offer sound insulation, add comfort and help compensate small subfloor defects, making your floor not only beautiful but also functional.

Underlays can be used to achieve a number of benefits, and Pergo gives you the opportunity to combine and customise these benefits to fit your exact needs.

Read more about
underlays
on page 87

**PREPARATION
IS KEY!**





Ultra-modern interior design using strong colours needs the contrast of a classic floor like Kashmere Oak 2-strip to become a comfortable home.





VASASTAN, IN STOCKHOLM, SWEDEN

Peace you deserve

Imagine coming home to an oasis of tranquillity. Where you get to close the door on your busy, everyday life and relax in peace, surrounded by simple, functional beauty.






A life less complicated

Make it easy on yourself. Strip down to the essentials and fill your home with the best life has to offer.

CHARCOAL SLATE L0220-01778



Do you like the look of slate tiles, but not the cold feeling of stone and ceramics? Check out this classic dark slate and let your bare feet discover the warm and soft touch.





Round shapes, soft pastels
– and Natural Wild Oak 3-strip.
The perfect companion to home
decor inspired by the 1950s.





AMIDST THE VILLAS OF HUMLEBÆK, DENMARK

Softly *stylish*

What goes around, comes around. The delicate lines and soft colours of the 50s are every bit as contemporary today as they once were.





MOUNTAIN GREY OAK, PLANK L0201-01802

A touch of *classic*

Great designs blend well,
no matter what decade they're from.
Mixing your favourites will only
strengthen your own style.



The subtle grey of our Mountain Grey Oak plank is the perfect match for pastels, white, black. Or just about any other colour, actually.



EXPLORING UMBRIA, IN THE OUTSKIRTS OF PERUGIA, ITALY

Space for personality

Contrasts excite. Mix new and old.
Bohemian and bourgeois. Classic and contemporary.
Or whatever you are.



The natural style of light-coloured oak is the perfect flooring for a creative flea market style. The authenticity and bleached vintage of Linnen Oak 2-strip, combined with the antique romantic interior, creates a soft and cosy atmosphere.



To create a country-style kitchen, your floor needs to look as natural as possible. Heritage Oak offers no less than 40 different, endless planks that make your room look more spacious.







Escape the contemporary – bring only the best parts with you

Cherry-pick history to create your own style.


Patina brings personality, a priceless value.

And still one that money cannot buy.

Reclaimed grey oak 2 m plank with the look of an oak floor that has been aged by weather and usage.
This visual impression is enhanced by a surface structure that creates the authentic feel of real antique wood.




Every piece comes with a story Mix them to create your own



The vintage style of the rustic 3-strip oak is a great match to an interior style decorated with antique collector's items.







Home is where all parts of you belong

Add a maritime touch to your home: greyish Maritime Raven Oak will make you feel as if you live by the sea. And the decor also looks great when combined with vintage furniture and accessories.

This is where dreams are born

It's a place to fall asleep, and a place to join the toys as nightfall brings them to life.
To continue to play and pursue adventure, all the way to sunrise.

Add some rustic country feeling to your home: Natural Sawcut Oak will make you feel as if you are living in a rustic country cottage.
The rustic sawcut effect is enhanced by a surface structure that follows the saw cuts and the wood grain.







EMBRACE HARMONY IN PLAU AM SEE, GERMANY

BEAUTIFULLY BASIC

THE EASY WAY TO ENHANCE
YOUR DAILY LIFE



If you want to upgrade your contemporary kitchen to give it an elegant, luxurious feel, Elegant Walnut 2-strip will bring real value to your home. Warm, dark brown walnut sets a strong contrast to the clean look of white furniture.



Bring the look of nature into your home and install "endless" looking pine planks. It is easy to see why super long wood planks are a powerful flooring trend right now.










LIGHT DECORATION

SOMETIMES,
CREATING A BEAUTIFUL INTERIOR
IS ABOUT DOING
AS LITTLE AS POSSIBLE

With the Alpine Walnut 2 m plank you can create
a puristic look with a touch of luxury
– all the proof you need that less, really is more!





DWELL DESIGNED

FIND THE BALANCE YOU NEVER WANT TO LEAVE. SOMETIMES ALL YOU NEED IS A LITTLE LESS. A LITTLE LESS CLUTTER. A LITTLE MORE SPACE. TO JUST BE YOURSELF.



Variety is a sign of nature. And our new collection of Endless Planks really captures it, in the form of an incredibly long plank. The stunning surface lets your hands and feet feel every detail, wood grain and crack.



The calm, natural colour of Premium Oak with a soft white pore will have a relaxing effect on your bedroom.







WHERE WEEKENDS ARE LONG, AND WEEKDAYS ARE EASY

Celebrate the everyday

You don't need a reason to throw a party
– only guests! And the more the merrier.

Are you a fan of modern contemporary furniture and vivid colours, but have a soft side for a cosy interior style?
Then Soft Walnut 3-strip is the perfect choice for you: a warm light-coloured walnut hue with an incredibly smooth look.





Let every day
be a surprise



A mix of white and strong primary colours is always hip. And long, White Pine, EndlessPlank™ is the best canvas for a powerful splash of colours.





Feel free
to play!
– your floor won't mind



Your kids will love the extreme look of our TotalDesign decor "Zebra". This floor is a design statement wherever you may install it, in a child's room, kitchen or home office.









Catch a moment to yourself

They may be few and far between,
but that only adds to their value.
A moment to cherish.



Can a bedroom have black furniture and red accessories and still look calm? Of course! Just install a floor with a quiet, natural colour like Kashmere Oak 2-strip or Supreme Beech 3-strip.



THREE FLOORS UP ON THE OSLO WATERFRONT

A front row seat

Get closer to the things you love in life

Enjoy a seaside view with lunch. The close company of your loved ones.
And the fact that there are days when you won't have to leave for work.



What is more purist than raw concrete? Concrete Medium Grey goes very well together with modern contemporary furniture, cool chrome effects and black & white contrasts.

Minimalist in everything but the feeling



Cool interiors with a design touch
are transformed by adding a warm colour.
A red carpet is the perfect match for a warm, dark
brown hue like Chocolate Oak 2 m plank.









Setting the stage for a star

Get inspired by those old black & white movies from the 1930s. Glamorous contrasts and stylish white furniture. All beautifully set on the dark elegance of Midnight Oak plank.



A pair of elegant high-heeled shoes is shown against a dark grey oak plank floor. The shoes feature a vibrant blue upper with a fine, ribbed texture and a contrasting gold-colored toe cap and heel. The gold elements have a metallic sheen. The shoes are positioned diagonally, with one shoe in the foreground and the other slightly behind it. A semi-transparent grey circle is overlaid on the upper left portion of the image, containing the number '84' and the text 'DECORS IN THREE QUALITY LEVELS!' in a bold, sans-serif font.

84

**DECORS IN THREE
QUALITY LEVELS!**

Find the design you want. And the floor you need.

Now it is easier than ever to find the right floor for your home. All our laminate floors are available in three different quality levels, offering three levels of durability to fit the different needs in the different rooms of your home. Just find the design you like, and pick the quality level you need!



public **Extreme**

Outstanding durability for high-wear and public areas.

Class 34 » TitanX™ Advanced » Lifetime guarantee



original **Excellence**

Floors designed for the challenges of everyday life.

Class 33 » TitanX™ Advanced » Lifetime guarantee



living **Expression**

Reliable durability for all-round domestic use.

Class 32 » TitanX™ » 25 year guarantee

84 decors

available just the way
you need them

All floors are different. After all, a kitchen floor will have to withstand more wear than the floor of a spare bedroom. That is why each and every one of our 84 laminate designs is available in three different quality levels. The levels differ in terms of wear protection, impact and scratch resistance, and these pages will guide you to the quality level you need. But all differences aside, the most important thing to keep in mind when browsing this catalogue for a new floor is what unites them: They are all Pergo floors.

Principle construction of a Pergo multilayer floor




- 1 Superior wear and scratch resistance layer
- 2 Crystal clear decor
- 3 Excellent impact resistance
- 4 Moisture resistant HDF core
- 5 Back stabiliser


Best durability

Triple protection


A Pergo laminate floor keeps its elegant finish year in and year out. The secret lies in our patented TitanX™ surface protection, a multilayer technology that provides superior resistance to wear, impact and scratching. Our very best floors come with TitanX™ Advanced for environments that demand the best durability.



1 Wear protection




2 Impact resistance



3 Scratch resistance

Scratch resistance: Pergo has an extra layer of aluminium oxide particles that make it more resistant to scratches than most comparable laminate floors. For our test we use Scotch Brite® abrasive fleeces. One part of the surface is rubbed 160 times at a load of 0.4 kg, then we look for scratches. Another part of the surface is rubbed 80 times at a load of 0.6 kg, then we measure the change of gloss. We compare our TitanX™ solutions with four other laminate floors.



Antistatic flooring

Electrostatic charges generated by Pergo laminate floors are generally very low, but to reduce them even more we have developed a technology to give selected floors permanent antistatic properties throughout the life of the floor. This innovation reduces unpleasant electrostatic charges and fulfils antistatic classification according to EN 14041.

The European method EN 14041 is used to measure the body voltage a walking person collects when walking on a floor. A value below 2 kV is required for antistatic floorings.




Extreme durability is the reason why we boldly guarantee our floors against wear, stains and fading caused by sunlight for up to 50 years – the best guarantee on the market.

Pergo's guarantees are subject to local law and may therefore vary from country to country. For information about guarantees in your country, contact your nearest Pergo dealer or read more at pergo.com.

30%
faster
installation


PerfectFold™ 3.0

Installing your Pergo floor is now faster and easier than ever. The innovative PerfectFold™ 3.0 system is available with Pergo laminate floors at all quality levels. Just click the planks together using the method that works best for you and you'll be done in no time. There's no risk of you damaging the floor panels. Even if you want to reinstall your planks, the PerfectFold™ 3.0 system makes it easy to lift them up and replace them when necessary.




Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Angle

The ideal method for installing the first row of planks. Click the planks together first at the short end, and then at the long sides.



Insert horizontally

Unlike many other brands, Pergo laminate floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks when installing the last row of planks, or under door frames and radiators.



Wood

A fine and realistic wood texture, which highlights any kind of wood decor from light to dark wood species. Available in different gloss levels.



Smooth

A silky, smooth surface for a softer touch and modern look. Available in different gloss levels.



Genuine™ wood

A lightly polished structure which follows the wood grain in every detail. Available in different gloss levels.



Genuine™ rustic

A rustic structure that creates a vintage feeling. Can have crack effects.



Genuine™ sawcut

Realistic wood structure with a saw effect.



Genuine™ stone

A life-like impression that follows the structure of real stone tiles.



Antique wood

A rustic texture with a vintage feeling.



Leather

A textured, leather-like surface for creating a feeling of warmth and comfort.



Facette

A stylish structure that makes for an eye-catching floor design.

A touch of authenticity

There is more to a beautiful floor than meets the eye. That is why Pergo laminate floors not only look authentic, they feel that way too.

A wide variety of nine different surface textures enhance the authentic impression of your laminate floor. From the well-worn vintage look, to the natural feeling of wood grains, or the exclusive look of leather. To allow more fine-tuning of your interior design, our surface structures are also available in different levels of gloss. No matter what style you're looking for, Pergo floors provide a sophisticated way to bring out even more of the character you want for your home.

Structure

WO	Wood	Wood
SO	Smooth	Smooth
GW	Genuine™ wood	Genuine™ wood
GR	Genuine™ rustic	Genuine™ rustic
GC	Genuine™ sawcut	Genuine™ sawcut
GS	Genuine™ stone	Genuine™ stone
AW	Antique wood	Antique wood
LE	Leather	Leather
FA	Facette	Facette

Gloss

PO	Polished	Polished
SP	Semi polished	Semi polished
SM	Silk matt	Silk matt
MA	Matt	Matt

 endless plank™

1200 x 190 mm | 2-way bevel



WHITE PINE, PLANK

- L0105-01772
- L0205-01772
- L0305-01772


GW / SM



BEACH HOUSE OAK, PLANK

- L0105-01777
- L0205-01777
- L0305-01777

GR / SM



NORDIC OAK, PLANK

- L0105-01771
- L0205-01771
- L0305-01771

GW / MA



SAND OAK, PLANK

- L0105-01768
- L0205-01768
- L0305-01768

GW / MA



TAUPE OAK, PLANK

- L0105-01770
- L0205-01770
- L0305-01770


GW / MA



BARISTA OAK, PLANK

- L0105-01769
- L0205-01769
- L0305-01769

GW / MA



COTTAGE PINE, PLANK

- L0105-01774
- L0205-01774
- L0305-01774


GW / SM



MANSION OAK, PLANK

- L0105-01776
- L0205-01776
- L0305-01776


GR / SM



THERMOTREATED PINE, PLANK

- L0105-01773
- L0205-01773
- L0305-01773

GW / SM



HERITAGE OAK, PLANK

- L0105-01775
- L0205-01775
- L0305-01775

GR / SM

1200 x 190 mm | 4-way bevel



CHALKED BLONDE OAK, PLANK

- L0108-01813
- L0208-01813
- L0308-01813

GW / SM



CHALKED GREY OAK, PLANK

- L0108-01812
- L0208-01812
- L0308-01812

GW / SM



CHALKED TAUPE OAK, PLANK

- L0108-01811
- L0208-01811
- L0308-01811

GW / SM



CHALKED COFFEE OAK, PLANK

- L0108-01814
- L0208-01814
- L0308-01814

GW / SM

long plank

2050 x 205 mm | 4-way bevel



WINTER OAK, PLANK

- L0123-01764
- L0223-01764
- L0323-01764

GW / SM



NATURAL ASH, PLANK

- L0123-01766
- L0223-01766
- L0323-01766

AW / SM



MODERN GREY OAK, PLANK

- L0123-01753
- L0223-01753
- L0323-01753

GW / SM



DRIFT OAK, PLANK

- L0123-01755
- L0223-01755
- L0323-01755

GW / SM

long plank

2050 x 205 mm | 4-way bevel



EUROPEAN OAK, PLANK

- L0123-01756
- L0223-01756
- L0323-01756


GW / SM



AUTUMN OAK, PLANK

- L0123-01765
- L0223-01765
- L0323-01765

GW / SM



RECLAIMED GREY OAK, PLANK

- L0123-01760
- L0223-01760
- L0323-01760

NEW

GR / SM



VINTAGE OAK, PLANK

- L0123-01762
- L0223-01762
- L0323-01762


GW / SM



BURNT OAK, PLANK

- L0123-01757
- L0223-01757
- L0323-01757

GW / SM



RECLAIMED BROWN OAK, PLANK

- L0123-01758
- L0223-01758
- L0323-01758

NEW

GR / SM



CHOCOLATE OAK, PLANK

- L0123-01754
- L0223-01754
- L0323-01754

GW / SM



RECLAIMED DARK OAK, PLANK

- L0123-01759
- L0223-01759
- L0323-01759

NEW

GR / SM



ALPINE WALNUT, PLANK

- L0123-01761
- L0223-01761
- L0323-01761

SO / SP



MIDNIGHT OAK, PLANK

- L0123-01763
- L0223-01763
- L0323-01763

GW / SM

NEW

classic plank

1200 x 190 mm



SILVER OAK, PLANK

- L0101-01807
- L0201-01807
- L0301-01807

GW / SM



NORDIC ASH, 2-STRIP

- L0101-01800
- L0201-01800
- L0301-01800

WO / MA



NORDIC ASH, 3-STRIP

- L0101-01793
- L0201-01793
- L0301-01793

SO / MA



NEW

SUPREME BEECH, 3-STRIP

- L0101-01796
- L0201-01796
- L0301-01796


SO / MA



BLONDE OAK, 3-STRIP

- L0101-01787
- L0201-01787
- L0301-01787

GW / SM



NEW

LINNEN OAK, 2-STRIP

- L0101-01797
- L0201-01797
- L0301-01797

GW / SM



SOLID OAK, 3-STRIP

- L0101-01790
- L0201-01790
- L0301-01790


SO / MA



NORDIC PINE, PLANK

- L0101-01810
- L0201-01810
- L0301-01810

WO / MA




NEW

PREMIUM OAK, PLANK

- L0101-01801
- L0201-01801
- L0301-01801

GW / SM




NEW

LIGHT SAWCUT OAK, PLANK

- L0101-01808
- L0201-01808
- L0301-01808

GC / SM



NEW

PURE OAK, 2-STRIP

- L0101-01799
- L0201-01799
- L0301-01799

GW / SM



ELEGANT OAK, 3-STRIP

- L0101-01789
- L0201-01789
- L0301-01789

GW / SM



NATURAL OAK, 3-STRIP

- L0101-01785
- L0201-01785
- L0301-01785

GW / SM



NEW

SOFT WALNUT, 3-STRIP

- L0101-01792
- L0201-01792
- L0301-01792


SO / SP



NATURAL OAK, PLANK

- L0101-01804
- L0201-01804
- L0301-01804

GW / SM




NEW

KASHMERE OAK, 2-STRIP

- L0101-01798
- L0201-01798
- L0301-01798

GW / SM



NEW

MOUNTAIN GREY OAK, PLANK

- L0101-01802
- L0201-01802
- L0301-01802

GW / SM



GREY OAK, 3-STRIP

- L0101-01786
- L0201-01786
- L0301-01786

GW / SM



DARK GREY OAK, PLANK

- L0101-01805
- L0201-01805
- L0301-01805

GW / SM



NEW

NATURAL WILD OAK, 3-STRIP

- L0101-01795
- L0201-01795
- L0301-01795


GW / SM



WALNUT, 3-STRIP

- L0101-01791
- L0201-01791
- L0301-01791

SO / SP




NEW

NATURAL SAWCUT OAK, PLANK

- L0101-01809
- L0201-01809
- L0301-01809

GC / SM



NEW

DARK WILD OAK, 3-STRIP

- L0101-01794
- L0201-01794
- L0301-01794

GW / SM




NEW

MERBAU, PLANK

- L0101-01599
- L0201-01599
- L0301-01599

SO / SP




NEW

ELEGANT WALNUT, 2-STRIP

- L0101-01471
- L0201-01471
- L0301-01471

SO / SP



NEW

THERMOTREATED OAK, PLANK

- L0101-01803
- L0201-01803
- L0301-01803

GW / SM



BROWN OAK, 3-STRIP

- L0101-01788
- L0201-01788
- L0301-01788

GW / SM



BLACK OAK, PLANK

- L0101-01806
- L0201-01806
- L0301-01806

GW / SM

classic plank

1200 x 190 mm | 2-way bevel



SILVER OAK, PLANK

- L0104-01807
- L0204-01807
- L0304-01807


GW / SM



NORDIC PINE, PLANK

- L0104-01810
- L0204-01810
- L0304-01810


WO / MA



LIGHT SAWCUT OAK, PLANK

- L0104-01808
- L0204-01808
- L0304-01808

GC / SM



PREMIUM OAK, PLANK

- L0104-01801
- L0204-01801
- L0304-01801


GW / SM



NATURAL OAK, PLANK

- L0104-01804
- L0204-01804
- L0304-01804


GW / SM



MOUNTAIN GREY OAK, PLANK

- L0104-01802
- L0204-01802
- L0304-01802

GW / SM



NATURAL SAWCUT OAK, PLANK

- L0104-01809
- L0204-01809
- L0304-01809


GC / SM



MERBAU, PLANK

- L0104-01599
- L0204-01599
- L0304-01599

SO / SP



THERMOTREATED OAK, PLANK

- L0104-01803
- L0204-01803
- L0304-01803

GW / SM



DARK GREY OAK, PLANK

- L0104-01805
- L0204-01805
- L0304-01805

GW / SM



BLACK OAK, PLANK

- L0104-01806
- L0204-01806
- L0304-01806

GW / SM

plank

1200 x 123 mm | 4-way bevel



SILVER OAK, PLANK

- L0111-01807
- L0211-01807
- L0311-01807

GW / SM



RAVEN OAK, PLANK

- L0111-01817
- L0211-01817
- L0311-01817

NEW

WO / MA



CHALKED LIGHT OAK, PLANK

- L0111-01815
- L0211-01815
- L0311-01815

GW / SM



NATURAL OAK, PLANK

- L0111-01804
- L0211-01804
- L0311-01804

GW / SM



DARK OAK, PLANK

- L0111-01816
- L0211-01816
- L0311-01816

GW / SM




MERBAU, PLANK

- L0111-01599
- L0211-01599
- L0311-01599

NEW

SO / SP



EBONY OAK, PLANK

- L0111-01818
- L0211-01818
- L0311-01818

NEW

WO / SM



DARK GREY OAK, PLANK

- L0111-01805
- L0211-01805
- L0311-01805

GW / SM

ship's deck 2-way bevel



MARITIME RAVEN OAK, PLANK

- L0110-01817
- L0210-01817
- L0310-01817

WO / MA



MARITIME OAK, PLANK

- L0110-01816
- L0210-01816
- L0310-01816

GW / SM



MARITIME MERBAU, PLANK

- L0110-01599
- L0210-01599
- L0310-01599

SO / SP

NEW

slab

1224 x 408 mm | 4-way bevel



ALPACA SLATE

- L0120-01781
- L0220-01781
- L0320-01781

GS / MA



LIGHT GREY SLATE

- L0120-01780
- L0220-01780
- L0320-01780

GS / MA



MEDIUM GREY SLATE

- L0120-01779
- L0220-01779
- L0320-01779

GS / MA




CHARCOAL SLATE

- L0120-01778
- L0220-01778
- L0320-01778

GS / MA

slab

1224 x 408 mm



WHITE SLAB

- L0118-01783
- L0218-01783
- L0318-01783

NEW

SO / MA



CONCRETE MEDIUM GREY

- L0118-01782
- L0218-01782
- L0318-01782

SO / MA

TOTALdesign


1224 x 408 mm

For rooms where nothing is impossible

Pergo TotalDesign is a collection of floors that push the limit. With patterns and designs that stand out of the ordinary and defy convention. If you're looking for a floor that will inspire extravagant interior design, you should look no further.



FACETTE BLACK L0518-01839



ZEBRA
L0518-01846

SO / PO

NEW



ARTIST SILVER
L0518-01844

SO / PO

NEW



BARCODE WHITE SILVER
L0518-01837

SO / PO



FINGERPRINTS SILVER
L0518-01838

SO / PO



LASSO SILVER
L0518-01845

SO / PO


NEW



ARTIST GOLD
L0518-01842

SO / PO

NEW



LEATHER MOCCA
L0518-01840

LE / SM



FACETTE BLACK
L0518-01839

FA / SP

DOMESTIC extra

1200 x 190 mm

Budget – but only when it comes to the price

Domestic Extra is our economy collection offering 10 different designs. It's the perfect solution when your budget is limited – but it is a budget solution in price only.

With a 20-year guarantee, Domestic Extra delivers quality laminate flooring with the durability that you expect from a Pergo floor.





CLASSIC WHITE OAK, PLANK
L0401-01823 **WO / MA**



SILVER PINE, PLANK
L0401-01825 **AW / SM**



NORDIC WHITE ASH, 3-STRIP
L0401-01822 **WO / MA**



CLASSIC GREY OAK, 3-STRIP
L0401-01821 **WO / MA**



CHALKED OAK, PLANK
L0401-01826 **WO / MA**



CLASSIC OAK, 3-STRIP
L0401-01819 **WO / MA**



CLASSIC OAK, PLANK
L0401-01824 **WO / MA**



BEECH, 3-STRIP
L0401-01827 **WO / SM**



EUROPEAN WALNUT, 3-STRIP
L0401-01828 **WO / SM**



DARK BROWN OAK, 3-STRIP
L0401-01820 **WO / MA**



Completing the picture

When it comes to floors, the beauty really is in the details. Because what would the new living room floor be without the wallbases and mouldings to match? The staircase without the finishing stair nose? The floor without the comfortable underfloor heating?

A floor is a complete home decor solution. Which is why we not only have developed a full line of matching accessories such as wallbases and mouldings, but also offer all the accessories you need for installation and maintenance.

Our accessories are organised in five groups according to function and properties: Aesthetics, Underlays, Underfloor heating, Installation and Maintenance. You'll find more about each group on the following pages.



**PREPARATION
IS THE KEY!**



3

2

5

1

3

4

aesthetics

The aesthetic impression of a floor is largely determined by the choice of functional details such as wallbases, mouldings and stair noses. Pergo's PEFC certified assortment of wallbases and mouldings are coordinated to match the colour and decor of the floor, making them beautiful and durable accessories that truly accentuate your new home environment.



1. Wallbases

Pergo's colour coordinated wallbases are installed easily and flexibly using a snap-in system, nails, screws or glue. All wallbases have milled grooves on the back for easily concealing cables.



2. Beading

A beading is a practical solution when you want to keep existing wallbases or where plinths are installed, e.g. under kitchen cabinets. Also wherever window frames extend all the way down to the floor. In instances like these, a beading can help to hide the transition and to add an extra design touch. A small and very useful wallbase.



3. T-Mouldings

T-Mouldings are necessary for allowing floors to move when installing separate flooring sections on the same level, e.g. in two connecting rooms with the same floor. Available in our 5-in-1 solution.



4. Transitions and finishing pieces

These accessories provide an elegant transition and compensate for height differences wherever laminate floors meet other flooring surfaces. Use a Carpet transition between laminate and carpeting, and a Hard surface reducer between laminate and tiles. End mouldings provide a nice finish against thresholds and in other similar situations. Available in our 5-in-1 solution.



5. Stair noses

Pergo's flooring is an excellent choice even for staircases, where matching stair noses are used to provide an elegant finish to each individual step. Available in our 5-in-1 solution.



PGINCP(-)
2150 x 13 x 48 mm
(see matching matrix for correct art no)


5 perfect finishes in 1

Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in texture, and the all-in-one solutions provide a seamless result. The surface is wear and scratch-resistant laminate. The core consists of HDF and the bottom is made of plastic. With the patented Incizo® solution, you simply cut the moulding to the shape you need. Suitable for flooring heights between 7 and 10 mm.




T-moulding

From laminate to laminate




Carpet transition

From laminate to carpet




Hard surface reducer

From laminate to ceramic, vinyl or linoleum



End moulding

Finishing up to threshold, sliding doors, etc



Stair nose moulding, flush

For a flush finish on stair treads



Stair nose moulding

For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room

Stairbase


The Incizo® subprofile is required for stair application and has to be ordered separately. Please see matching matrix for correct stairbase profile.



Stair nose, aluminium

Fits to flooring thickness of 7 - 11 mm

W = 30 mm, L = 2.7 m
PGSTPSANDME270, sand
PGSTPBROWNME270, brown
PGSTPSILVME270, silver
Surface: aluminium





Wallbase straight, colour matched

PGSKR(-), 2400 x 14 x 58 mm


PGPSKR(-), 2400 x 14 x 77 mm

(see matching matrix for correct art no)

Colour: matched

Surface: wear and scratch-resistant laminate

Core: MDF



Wallbase straight, white & paintable

PGSKRWHITE, white, 2400 x 14 x 58 mm

PGSKRPAINT, paintable, 2400 x 14 x 58 mm


PGPSKRWHITE, white, 2400 x 14 x 77 mm

PGPSKRPAINT, paintable, 2400 x 14 x 77 mm

Colour: white, paintable

Surface: foil

Core: MDF



Wallbase, cover

PGISKRCOVERMD240

For easy and fast renovation.


Covers existing wallbase.

2400 x 16 x 129 mm, adaptable size

Colour: paintable

Surface: foil

Core: MDF



Beading

PGSCOT(-), colour matched (see matching matrix for correct art no)

PGSCOTWHITE, white

PGSCOTPAINT, paintable


2400 x 17 x 17 mm

Colour: colour matched, paintable

Surface: PGSCOT(-): wear and scratch-resistant laminate

PGSCOTWHITE & PGSCOTPAINT: foil

Core: MDF



Combi moulding, aluminium

PGPRGOLDME186, gold

PGPRBRONME186, bronze

PGPRSILVME186, silver


T-moulding and reducer in one. Plastic bottom rail.

Suitable for height differences of 0 – 12.5 mm

1860 x 47 mm, H: 10 mm (uninstalled)

Colour: gold, bronze, silver

Surface: aluminium



End moulding, aluminium

PGENPSANDME270, sand

PGENPBROWNME270, brown


PGENPSILVME270, silver

Fits to flooring thickness of 8 – 14 mm

2700 x 33 mm

Colour: sand, brown, silver

Surface: aluminium





Preparation is key!

Before you start installing your new Pergo laminate floor, you must select an underlay. It will add not only walking comfort, but also functionality to your floor. And of course, a great floor requires an underlay that will retain its properties over time. Underlays of lesser quality may eventually give way, causing damage to the floor joints.

We offer a wide range of underlay solutions, suited for different needs. Do you need to improve the acoustics in the room or neighbouring rooms, or do you need moisture protection? The overview below will serve as a guide when choosing the flooring underlay that is right for you.



Walking noise reduction

Walking noise is the sound heard in the room from walking on the floor. The higher the emitted walking noise reduction value, the better the sound reducing property of the underlay.



Impact sound insulation

Impact sound is the sound heard in the room below when someone walks on the floor. All Pergo underlays either meet or exceed requirements for impact sound insulation. The higher the impact sound reduction value, the better the sound insulating property of the underlay.



Water vapour resistance

Pergo laminate floors must be protected from moisture rising up from below. A vapour barrier offers resistance against passage of water vapour, which is necessary when the wood floor is installed on a mineral subfloor, such as concrete. A vapour barrier can be provided either by a separate layer such as a PE film, or by a layer integrated in the underlay (combination products).



Installation over underfloor heating

When installing a laminate floor in combination with an underlay over underfloor heating, the thermal resistance of the total installation should ideally not exceed 0.15 m² K/W. If exceeded, the effect of the underfloor heating might be slightly reduced. The lower the thermal insulation value of the underlay, the more suitable the underlay is for installation over underfloor heating.

	Sound improvement & Moisture protection		Sound improvement			Moisture protection	
	Professional SoundBloc™	Smart Underlay+	Smart Underlay	WhisperWalk®	Underlay Foam	Moisturbloc Extreme™	PE film
Thickness	2 mm	3 mm	3 mm	4 mm	1.8 mm	2.5 mm	0.2 mm
Walking noise reduction						-	-
Impact sound insulation							-
Water vapour resistance	✓	✓	-*	-*	-*	✓	✓
Installation over underfloor heating (m ² K/W)	✓	✓	-	✓	✓	✓	✓

*Install in combination with PE film or Moisturbloc Extreme™ if installed on a mineral substrate.
Underlay foam is not for heavy commercial use.

sound improvement & moisture protection



Professional SoundBloc™

PGUDLPS15, 0.95 x 15.79 m = 15 m²/roll
PGUDLPS50, 0.95 x 52.64 m = 50 m²/roll

The best underlay for eliminating walking noise. Increases walking comfort and provides excellent impact sound insulation. Integrated vapour barrier with 60 mm overlap and tape strip included.

Thickness: 2 mm
Material: Polyolefin foam with PE foil



Smart Underlay+

PGUDLSMARTPLUS15

The best impact sound insulation underlay. A fold-out, easy to install underlay that also reduces walking noise and increases walking comfort. Integrated vapour barrier with 50 mm overlap and tape strip included.

1.2 x 12.5 m = 15 m²/pack
Thickness: 3 mm
Material: High flexible polystyrene foam with integrated aluminium foil



sound improvement



Whisperwalk®

PGUDLWHISPER10

A thick underlay made of wood fibre that absorbs impact sound, increases walking comfort and compensates for minor height differences between different floor levels.

790 x 590 mm = 10.25 m²/pack
Thickness: 4 mm
Material: Multilayered softboard from wood fibres



Smart Underlay

PGUDLSMART10

A fold-out, easy to install underlay that increases walking comfort and provides excellent walking noise reduction and impact sound insulation.

8.33 x 1.2 m = 10 m²
Thickness: 3 mm
Material: Extruded polystyrene foam





Underlay foam

PGUDLFOAM15B

An underlay that absorbs impact sound and increases walking comfort.

0.95 x 15.79 m = 15 m²/roll

Thickness: 1.8 mm

Material: Extruded polyethylene



moisture protection



Moisturbloc Extreme™

PGUDLMOI15


The underlay with three times the moisture vapour resistance as traditional PE film. Can be installed on concrete floors with up to 95% relative humidity, making it ideal in basements and on concrete floors with high humidity. Moisturbloc Extreme™ makes it possible to install floors earlier during the construction of new homes. 1.05 x 15 m = 15 m² (5 cm overlap). Tape included.

Thickness: 2.5 mm

Material: Polypropylene



Resistance to vapour penetration



PE film (polyethylene)

PGUDLSCREEN34, 12.5 x 2.7 m = 33.75 m²/roll

PGUDLSCREEN100, 37 x 2.7 m = 100 m²/roll

An underlay that protects flooring from moisture vapour rising up from a mineral or concrete subfloor. Useful lifetime 50 years.

Thickness: 0.2 mm

Material: Polyethylene, alkaline resistant





1

2


3

under floor heating



THE CLICK & PLUG SYSTEM

Pergo quickheat is the smart and easy way to enjoy underfloor heating. Nothing to cast in concrete, minimum bother – you can even forget about the electrician. Just roll out the quickheat mats with built-in heating cables and click them together. Install the thermostat and safety box on the wall, and plug in. It really is that simple. In addition to warmth, Pergo quickheat also provides walking comfort, so no other underlay is needed. By supplementing your primary heating system with Pergo quickheat you can also usually lower the temperature 2 – 3 degrees compared to using radiators. The timer included with the system can be set for 5 + 2 days.



1. Quick, comfortable warmth

Pergo quickheat consists of two layers of foam plus a middle layer with heating cables and a reflective surface of aluminium foil. Thanks to the insulation and the heat reflective surface in the bottom of the mat, all heat is directed upward for fast adjustment of the room's temperature.

2. Built-in safety feature

Pergo quickheat has a built-in electrical safety feature that automatically disconnects power if a failure should occur. Naturally, the system is certified for do-it-yourself installation and fulfils international standards for removable floors.



3. Wireless thermostat in every room

With Pergo quickheat you can easily fine-tune the temperature of each room. Once the mats have been rolled out, simply connect the safety box and set the wireless thermostat to the desired temperature.

The flexible timer allows you to have separate floor heating settings for weekdays and weekends. Four individual time zones support your daily mode (morning, day, evening and night) and each period can be set with a unique temperature.

Pergo quickheat, 55

PGUDLQH2, size 2 x 1 m

PGUDLQH3, size 3 x 1 m

PGUDLQH4, size 4 x 1 m

PGUDLQH5, size 5 x 1 m

55 W/m²

220 V 50 Hz (European plug)

Max load: 10 A (2300 W at 230 V)

Maximum installation area: 42 m²

Suitable for 5% ~ 95% relative humidity

Thickness: 8 mm

Thermal Insulation: 8 W/m² K

Filler mat

PGUDLQH FILLERMAT

6.37 m²

26 mats/box

Used for the space between the heating mats and the wall.

Installation kit, wireless

PGUDLQHKITEU

Wireless thermostat, safety box, connector tool and installation instructions.

Extension cables

PGQHEXTCAB025, size 0.25 m

PGQHEXTCAB100, size 1.0 m

PGQHEXTCAB200, size 2.0 m

Used between mats and/or to extend between mats and safety box.



installation

Pergo flooring is well known for being easy to install. Of course, we also have all the tools, accessories and kits you need to do the job with ease and to achieve perfect results.



Installation kit

PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar.

Extra spacers

PGSPACER, 48 pcs



Wallbase installation kit

PGCLIPS15LM

All wallbases are installed with an easy to use snap-in system where no nails or screws are visible. One installation kit is enough for 15 metres of wallbase.



SafeSeal

PGSEAL500

500 ml

Used for floor areas that require extra protection against moisture. PVAc based.



Multiglue

PGGLUE290

290 ml







Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing wallbases and mouldings. Hybrid polymer.



Sealant

310 ml


For a beautiful finish. Dry in half an hour and fully cured after 24 hours. Available in 8 colours. Water based acrylic.

	PGKIT01
	PGKIT02
	PGKIT03
	PGKIT04
	PGKIT05
	PGKIT06
	PGKIT07
	PGKIT08



Radiator caps

PGRACOOAK, oak
 PGRACOBEECH, beech
 PGRACOMAPLE, maple
 PGRACOCERRY, cherry
 PGRACOWHITE, white
 PGRACOBROWN, dark brown



Tape

PGTAPE50
 50 m x 5 cm
 Self-adhesive aluminium tape for underlays



maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



Cleaning kit

PGCLEANKIT

High-quality mop set with extra long ergonomic handle and a mop cloth holder with a practical Velcro fastener for attaching the mop cloth.

Separate mop cloth

PGCLEANMOP



All round Floor Cleaner

PGCLEANALL1000

Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax

PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com

Cleaning Instructions

Ordinary cleaning

Vacuum clean (no beater bar), dry mop or sweep the floor to remove dirt and dust. Occasionally wipe the floor with a Pergo microfibre mop cloth moistened with a solution of 2 tablespoons Pergo All round Floor Cleaner diluted in 7 litres of lukewarm water – do not overdose. Machine wash mop cloth in 60°C without detergent or fabric softener – see label.

Heavily soiled or stained floors

Remove loose dirt. Lightly spray the floor with Pergo All round Floor Cleaner. Allow the cleaner to act for one minute and then mop the floor with a microfibre mop cloth. Use a white or red pad if extra treatment is needed. Rinse the floor 3 – 5 times using clean, lukewarm water and a clean mop. Repeat these steps until the floor is completely clean and free from detergent. Wipe dry.

Stain removal guide

Chocolate, grease, juice, cordials, wine: Pergo All round Floor Cleaner and warm water.

Tar, crayon, lipstick, shoe polish, ink, carbon, nail polish or marks from cigarettes: Acetone, household solvent or petroleum spirit.

Candle wax and chewing gum: Allow to harden then carefully scrape off.

Avoid wax and polish

A Pergo laminate floor should never be waxed or polished. Never use washing-up liquids, powders or soaps, and never scrub with steel wool or any other abrasive material as this may affect the appearance or texture of the floor.

Additional treatments

Some textured surfaces require special treatment as described below:

Matt textures. Dirt will generally stick harder to floors with matt textures. We therefore recommend that these types of floors be cleaned more regularly.


Polished textures. Dried watermarks are often more visible on polished textures. Always wipe with a dry mop after damp cleaning.

Floors with bevelled edges. Because water can accumulate in the bevel, be sure to always wipe dry.

Protect your floor

We recommend using protective pads or plastic cups under the legs of chairs and other furniture as added precaution. Always use a doormat at the front entrance.

matching matrix



public Extreme	original Excellence	living Expression	Art.nr / Decor	5-in-1 13 x 48 PGINCP(-)	Wallbase straight 14 x 58 PGSKR(-)	Wallbase straight 14 x 77 PGPSKR(-)	Beading 17 x 17 PGSCOT(-)
L0101-01471	L0201-01471	L0301-01471	Elegant Walnut, 2-strip	01471	01471	01471	01471
L0101-01599	L0201-01599	L0301-01599	Merbau, plank	01599	01599	01599	01599
L0101-01785	L0201-01785	L0301-01785	Natural Oak, 3-strip	01785	01785	01785	01785
L0101-01786	L0201-01786	L0301-01786	Grey Oak, 3-strip	01786	01786	01786	01786
L0101-01787	L0201-01787	L0301-01787	Blonde Oak, 3-strip	01787	01787	01787	01787
L0101-01788	L0201-01788	L0301-01788	Brown Oak, 3-strip	01788	01788	01788	01788
L0101-01789	L0201-01789	L0301-01789	Elegant Oak, 3-strip	01789	01789	01789	01789
L0101-01790	L0201-01790	L0301-01790	Solid Oak, 3-strip	01790	01790	01790	01790
L0101-01791	L0201-01791	L0301-01791	Walnut, 3-strip	01791	01791	01791	01791
L0101-01792	L0201-01792	L0301-01792	Soft Walnut, 3-strip	01792	01792	01792	01792
L0101-01793	L0201-01793	L0301-01793	Nordic Ash, 3-strip	01793	01793	01793	01793
L0101-01794	L0201-01794	L0301-01794	Dark Wild Oak, 3-strip	01794	01794	01794	01794
L0101-01795	L0201-01795	L0301-01795	Natural Wild Oak, 3-strip	01795	01795	01795	01795
L0101-01796	L0201-01796	L0301-01796	Supreme Beech, 3-strip	01796	01796	01796	01796
L0101-01797	L0201-01797	L0301-01797	Linnen Oak, 2-strip	01797	01797	01797	01797
L0101-01798	L0201-01798	L0301-01798	Kashmere Oak, 2-strip	01798	01798	01798	01798
L0101-01799	L0201-01799	L0301-01799	Pure Oak, 2-strip	01799	01799	01799	01799
L0101-01800	L0201-01800	L0301-01800	Nordic Ash, 2-strip	01800	01800	01800	01800
L0101-01801	L0201-01801	L0301-01801	Premium Oak, plank	01801	01801	01801	01801
L0101-01802	L0201-01802	L0301-01802	Mountain Grey Oak, plank	01802	01802	01802	01802
L0101-01803	L0201-01803	L0301-01803	Thermotreated Oak, plank	01803	01803	01803	01803
L0101-01804	L0201-01804	L0301-01804	Natural Oak, plank	01731	01731	01731	01731
L0101-01805	L0201-01805	L0301-01805	Dark Grey Oak, plank	01730	01730	01730	01730
L0101-01806	L0201-01806	L0301-01806	Black Oak, plank	01806	01806	01806	01806
L0101-01807	L0201-01807	L0301-01807	Silver Oak, plank	01807	01807	01807	01807
L0101-01808	L0201-01808	L0301-01808	Light Sawcut Oak, plank	01799	01799	01799	01799
L0101-01809	L0201-01809	L0301-01809	Natural Sawcut Oak, plank	01798	01798	01798	01798
L0101-01810	L0201-01810	L0301-01810	Nordic Pine, plank	01810	01810	01810	01810
L0104-01599	L0204-01599	L0304-01599	Merbau, plank	01599	01599	01599	01599
L0104-01801	L0204-01801	L0304-01801	Premium Oak, plank	01801	01801	01801	01801
L0104-01802	L0204-01802	L0304-01802	Mountain Grey Oak, plank	01802	01802	01802	01802
L0104-01803	L0204-01803	L0304-01803	Thermotreated Oak, plank	01803	01803	01803	01803
L0104-01804	L0204-01804	L0304-01804	Natural Oak, plank	01731	01731	01731	01731
L0104-01805	L0204-01805	L0304-01805	Dark Grey Oak, plank	01730	01730	01730	01730
L0104-01806	L0204-01806	L0304-01806	Black Oak, plank	01806	01806	01806	01806
L0104-01807	L0204-01807	L0304-01807	Silver Oak, plank	01807	01807	01807	01807
L0104-01808	L0204-01808	L0304-01808	Light Sawcut Oak, plank	01799	01799	01799	01799
L0104-01809	L0204-01809	L0304-01809	Natural Sawcut Oak, plank	01798	01798	01798	01798
L0104-01810	L0204-01810	L0304-01810	Nordic Pine, plank	01810	01810	01810	01810
L0105-01768	L0205-01768	L0305-01768	Sand Oak, plank	01768	01768	01768	01768
L0105-01769	L0205-01769	L0305-01769	Barista Oak, plank	01769	01769	01769	01769
L0105-01770	L0205-01770	L0305-01770	Taupe Oak, plank	01770	01770	01770	01770
L0105-01771	L0205-01771	L0305-01771	Nordic Oak, plank	01771	01771	01771	01771
L0105-01772	L0205-01772	L0305-01772	White Pine, plank	01772	01772	01772	01772
L0105-01773	L0205-01773	L0305-01773	Thermotreated Pine, plank	01773	01773	01773	01773
L0105-01774	L0205-01774	L0305-01774	Cottage Pine, plank	01774	01774	01774	01774
L0105-01775	L0205-01775	L0305-01775	Heritage Oak, plank	01775	01775	01775	01775
L0105-01776	L0205-01776	L0305-01776	Mansion Oak, plank	01776	01776	01776	01776
L0105-01777	L0205-01777	L0305-01777	Beach House Oak, plank	01777	01777	01777	01777
L0108-01811	L0208-01811	L0308-01811	Chalked Taupe Oak, plank	01811	01811	01811	01811
L0108-01812	L0208-01812	L0308-01812	Chalked Grey Oak, plank	01812	01812	01812	01812
L0108-01813	L0208-01813	L0308-01813	Chalked Blonde Oak, plank	01813	01813	01813	01813
L0108-01814	L0208-01814	L0308-01814	Chalked Coffee Oak, plank	01814	01814	01814	01814
L0110-01599	L0210-01599	L0310-01599	Maritime Merbau, plank	01599	01599	01599	01599
L0110-01816	L0210-01816	L0310-01816	Maritime Oak, plank	01816	01816	01816	01816
L0110-01817	L0210-01817	L0310-01817	Maritime Raven Oak, plank	01817	01817	01817	01817
L0111-01599	L0211-01599	L0311-01599	Merbau, plank	01599	01599	01599	01599



public Extreme	original Excellence	living Expression	Art.nr / Decor	5-in-1 13 x 48 PGINCP(-)	Wallbase straight 14 x 58 PGSKR(-)	Wallbase straight 14 x 77 PGPSKR(-)	Beading 17 x 17 PGSCOT(-)
L0111-01804	L0211-01804	L0311-01804	Natural Oak, plank	01731	01731	01731	01731
L0111-01805	L0211-01805	L0311-01805	Dark Grey Oak, plank	01730	01730	01730	01730
L0111-01807	L0211-01807	L0311-01807	Silver Oak, plank	01807	01807	01807	01807
L0111-01815	L0211-01815	L0311-01815	Chalked light Oak, plank	01815	01815	01815	01815
L0111-01816	L0211-01816	L0311-01816	Dark Oak, plank	01816	01816	01816	01816
L0111-01817	L0211-01817	L0311-01817	Raven Oak, plank	01817	01817	01817	01817
L0111-01818	L0211-01818	L0311-01818	Ebony Oak, plank	01818	01818	01818	01818
L0118-01782	L0218-01782	L0318-01782	Concrete Medium Grey	01782	01782	01782	01782
L0118-01783	L0218-01783	L0318-01783	White Slab	01783	01783	01783	01783
L0120-01778	L0220-01778	L0320-01778	Charcoal Slate	01778	01778	01778	01778
L0120-01779	L0220-01779	L0320-01779	Medium Grey Slate	01779	01779	01779	01779
L0120-01780	L0220-01780	L0320-01780	Light Grey Slate	01780	01780	01780	01780
L0120-01781	L0220-01781	L0320-01781	Alpaca Slate	01781	01781	01781	01781
L0123-01753	L0223-01753	L0323-01753	Modern Grey Oak, plank	01753	01753	01753	01753
L0123-01754	L0223-01754	L0323-01754	Chocolate Oak, plank	01754	01754	01754	01754
L0123-01755	L0223-01755	L0323-01755	Drift Oak, plank	01755	01755	01755	01755
L0123-01756	L0223-01756	L0323-01756	European Oak, plank	01756	01756	01756	01756
L0123-01757	L0223-01757	L0323-01757	Burnt Oak, plank	01757	01757	01757	01757
L0123-01758	L0223-01758	L0323-01758	Reclaimed Brown Oak, plank	01758	01758	01758	01758
L0123-01759	L0223-01759	L0323-01759	Reclaimed Dark Oak, plank	01759	01759	01759	01759
L0123-01760	L0223-01760	L0323-01760	Reclaimed Grey Oak, plank	01760	01760	01760	01760
L0123-01761	L0223-01761	L0323-01761	Alpine Walnut, plank	01761	01761	01761	01761
L0123-01762	L0223-01762	L0323-01762	Vintage Oak, plank	01762	01762	01762	01762
L0123-01763	L0223-01763	L0323-01763	Midnight Oak, plank	01763	01763	01763	01763
L0123-01764	L0223-01764	L0323-01764	Winter Oak, plank	01764	01764	01764	01764
L0123-01765	L0223-01765	L0323-01765	Autumn Oak, plank	01765	01765	01765	01765
L0123-01766	L0223-01766	L0323-01766	Natural Ash, plank	01766	01766	01766	01766

domestic Extra					
L0401-01819	Classic Oak, 3-strip		01819	01819	01819
L0401-01820	Dark Brown Oak, 3-strip		01820	01820	01820
L0401-01821	Classic Grey Oak, 3-strip		01821	01821	01821
L0401-01822	Nordic White Ash, 3-strip		01822	01822	01822
L0401-01823	Classic White Oak, plank		01823	01823	01823
L0401-01824	Classic Oak, plank		01824	01824	01824
L0401-01825	Silver Pine, plank		01825	01825	01825
L0401-01826	Chalked Oak, plank		01826	01826	01826
L0401-01827	Beech, 3-strip		01827	01827	01827
L0401-01828	European Walnut, 3-strip		01828	01828	01828

Incizo® stairbase subprofile

PRODUCT GROUP	RANGE	MAT. DESCRIPTION	FITS TO FLOOR THICKNESS
Classic plank, plank, big slab	public Extreme	NEINCPBASE5ME215	9
Classic plank, plank, big slab	original Excellence	NEINCPBASE2ME215	8
Classic plank, plank, big slab	living Expression, domestic Extra	NEINCPBASE2ME215	8
Long plank	public Extreme	NEINCPBASE4ME215	10
Long plank	original Excellence	NEINCPBASE6ME215	9,5
Long plank	living Expression	NEINCPBASE6ME215	9,5

technical guide

Features		public Extreme	original Excellence	living Expression	domestic Extra	total Design
TitanX		TitanX Adv	TitanX Adv	TitanX	TitanX	TitanX Adv / TitanX
Scratch Resistance		Very high	Very high	High	High	Very high/High
Moisture Resistance		Very high	High	High	Medium	High
PerfectFold 3.0		•	•	•	•	•
Antistatic		•	•	•	•	•
Hygienic		•	•	•	•	•
Environmental label PEFC		•	•	•	•	•
Environmental label Nordic Ecolabel		•	•	•	•	•
Triple Guarantee		Lifetime	Lifetime	25 years	20 years	Lifetime
Technical		Standard				
Class of use	EN 13329	34	33	32	32	33/32
Fire classification	EN 13501	Bfl-s1	Bfl-s1	Cfl-s1	Cfl-s1	Bfl-s1
Formaldehyde emission	EN 717	E1	E1	E1	E1	E1
VOC emission	agBB/DIBt	•	•	•	•	•
Generic anti-microbial effect	JIS Z 2801	> 99%	> 99%	> 99%	> 99%	> 99%
Wear Resistance	EN 13329	AC6	AC5	AC4	AC4	AC5/AC4
Impact Resistance	EN 13329	IC4	IC3	IC2	IC2	IC3
Resistance to Castor Chair	EN 13329 (class 34)	No damage	-	-	-	-
Resistance to Castor Chair	EN 13329	No damage	No damage	No damage	No damage	No damage
Slip Resistance	EN 14041	Class DS	Class DS	Class DS	Class DS	Class DS
Thermal Resistance	EN 12667	0,07 m² K/W	0,07 m² K/W	0,06 m² K/W	0,06 m² K/W	0,07 m² K/W
Body Voltage	EN 1815	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)
UPEC	CSTB	pending	pending	pending	pending	pending

formats

	Length	Panel, mm			Packages			
		Width	Thickness	Panels/pack	m²/pack	Pack/pallet	m²/pallet	
public Extreme								
L0101-xxxxx Classic Plank	1200	190	9	6	1,368	48	65,66	
L0104-xxxxx Classic Plank 2V	1200	190	9	6	1,368	48	65,66	
L0105-xxxxx Classic Plank 2V - EP	1200	190	9	6	1,368	48	65,66	
L0108-xxxxx Classic Plank 4V - NV	1200	190	9	6	1,368	48	65,66	
L0110-xxxxx Plank 2V	1200	123,4	9	11	1,629	44	68,41	
L0111-xxxxx Plank 4V	1200	123,4	9	11	1,629	44	68,41	
L0123-xxxxx Long Plank 4V	2050	205	10	6	2,522	44	110,95	
L0118-xxxxx Big Slab	1224	408	9	2	0,999	80	79,90	
L0120-xxxxx Big Slab 4V	1224	408	9	2	0,999	80	79,90	
original Excellence								
L0201-xxxxx Classic Plank	1200	190	8	7	1,596	48	76,61	
L0204-xxxxx Classic Plank 2V	1200	190	8	7	1,596	48	76,61	
L0205-xxxxx Classic Plank 2V - EP	1200	190	8	7	1,596	48	76,61	
L0208-xxxxx Classic Plank 4V - NV	1200	190	8	7	1,596	48	76,61	
L0210-xxxxx Plank 2V	1200	123,4	8	12	1,777	44	74,63	
L0211-xxxxx Plank 4V	1200	123,4	8	12	1,777	44	74,63	
L0223-xxxxx Long Plank 4V	2050	205	9,5	6	2,522	44	110,95	
L0218-xxxxx Big Slab	1224	408	8	2	0,999	80	79,90	
L0220-xxxxx Big Slab 4V	1224	408	8	2	0,999	80	79,90	
living Expression								
L0301-xxxxx Classic Plank	1200	190	8	7	1,596	48	76,61	
L0304-xxxxx Classic Plank 2V	1200	190	8	7	1,596	48	76,61	
L0305-xxxxx Classic Plank 2V - EP	1200	190	8	7	1,596	48	76,61	
L0308-xxxxx Classic Plank 4V - NV	1200	190	8	7	1,596	48	76,61	
L0310-xxxxx Plank 2V	1200	123,4	8	12	1,777	44	74,63	
L0311-xxxxx Plank 4V	1200	123,4	8	12	1,777	44	74,63	
L0323-xxxxx Long Plank 4V	2050	205	9,5	6	2,522	44	110,95	
L0318-xxxxx Big Slab	1224	408	8	2	0,999	80	79,90	
L0320-xxxxx Big Slab 4V	1224	408	8	2	0,999	80	79,90	
domestic Extra								
L0401-xxxxx Classic Plank	1200	190	8	7	1,596	48	76,61	
total Design								
L0518-xxxxx Big Slab	1224	408	8	2	0,999	80	79,90	




Wear protection

Pergo's patented TitanX™ Advanced surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.




Scratch resistance

The TitanX™ surface has an extra protective layer providing the best scratch and scuff resistance on the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



Impact resistance

The unique multilayer construction of our TitanX™ Advanced surface together with a dense core material provides very high impact resistance for handling dropped objects and high heels.




Anti-static

Pergo laminate floors eliminate static electricity. Electrostatic charges generated by Pergo laminate floors are generally very low, but to reduce them even more we have developed a technology to give selected floors permanent antistatic properties throughout the life of the floor.



Easier Cleaning

A Pergo floor with TitanX™ surface is much easier to clean than ordinary floors. The reason is that the TitanX™ surface is so tightly sealed that dirt simply cannot take hold.



Water resistance

Pergo's Moisture Resistance System combines moisture-resistant core materials with a strong and tight click joint. The result is some of the most moisture-resistant floors on the market.



High Fire Resistance

A Pergo floor with TitanX™ Advanced surface has a natural high resistance to fire thanks to its multilayer construction. This combined with the core's density allows for faster heat dissipation.




Hygienic

A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive and the tightly sealed, easy to clean TitanX™ surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.



Easy installation

Pergo's patented PerfectFold™3.0 installation system makes installation faster and easier because you simply fold the floor into place.



pergo.com

PERGO[®]

Pergo (Europe) AB, Box 1010, SE-231 25 Trelleborg, Sweden
Tel +46 410 36 31 00, Fax +46 410 461 15

Pergo is a quality product produced by **UNILIN** bvba, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium, Europe.

