

The world's most preferred flooring



www.pergo.co.in

Toll Free No - 1800 102 3415

PERGO
FLOORS FOR REAL LIFE

Pergo India Pvt. Ltd.

M-13, 1st Floor, M-Block Market
Greater Kailash - II, New Delhi - 110 048
+91 11 41435741, +91 8595422264
Email: customercare.delhi@unilin.com

55, Dr. E. Moses Road
Worli, Mumbai - 400 018
+91 22 66627900, +91 7498909222
Email: customercare.mumbai@unilin.com

816/02, 1st Floor, 16th Cross, WKP Road
Jayanagar 7th Block, Bangalore - 560082
+91 80 32520009, +91 9353024790

Andhra Pradesh: +91 9347682991 • Chandigarh & Punjab: +91 8591979591 • Karnataka: +91 9353024790 • Kerala: +91 9349038501
• Kolkata & East: +91 9830802000 • Madhya Pradesh & Chhattisgarh: +91 9302891895
• Mumbai: +91 7498909222 • Maharashtra (Except Mumbai): +91 7498909208 • New Delhi: +91 8595422264 • Rajasthan: +91 9352832491
• Tamil Nadu: +91 9344141801 • Uttar Pradesh & Uttarakhand: +91 9369993791

Like and follow us for updates [f](https://www.facebook.com/PERGOINDIA) PERGOINDIA | [i](https://www.instagram.com/PergoInd) PergoInd | [PergoIndia](https://www.linkedin.com/company/PergoIndia)

PERGO®

FLOORS FOR REAL LIFE

ORIGINAL LAMINATE



WOOD PARQUET




WOOD PARQUET




2200 x 220 x 14 mm
 Smoked Mansion Oak, Plank
 W0603 - 01625*,
 W1703 - 01625**, 4V
 4 Panels/pack, 1.936 m²/pack




1820 x 190 x 14 mm
 Autumn Brown Oak, Plank
 W0605 - 03039*,
 W1705 - 03039**, 2V
 6 Panels/pack, 2.0748 m²/pack




1820 x 145 x 14 mm
 Warm Walnut, Plank
 W0608 - 03041*,
 W1708 - 03041**, 2V
 6 Panels/pack, 1.5834 m²/pack




1820 x 145 x 14 mm
 Smoked Oak, Plank
 W0608 - 01354*,
 W1708 - 01354**, 2V
 6 Panels/pack, 1.5834 m²/pack




2200 x 190 x 14 mm
 Vivid Walnut, 3 Strip
 W0811 - 03042*,
 W1911 - 03042**
 6 Panels/pack, 2.5080 m²/pack




2200 x 190 x 14 mm
 Natural Merbau, 3 Strip
 W0811 - 01366*,
 W1911 - 01366**
 6 Panels/pack, 2.5080 m²/pack




2200 x 190 x 14 mm
 Classic Oak, 3 Strip
 W0811 - 01750*,
 W1911 - 01750**
 6 Panels/pack, 2.5080 m²/pack




MTO
 2200 x 220 x 14 mm
 Natural Mountain Oak, Plank
 W0603 - 01624*,
 W1703 - 01624**, 4V
 4 Panels/pack, 1.936 m²/pack




MTO
 1820 x 190 x 14 mm
 Vintage Oak, Plank
 W0605 - 03040*,
 W1706 - 03040**, 2V
 6 Panels/pack, 2.0748 m²/pack



MTO
 1820 x 145 x 14 mm
 Natural Jatoba, Plank
 W0608 - 01358*,
 W1708 - 01358**, 2V
 6 Panels/pack, 1.5834 m²/pack



MTO
 1820 x 145 x 14 mm
 Natural Walnut, Plank
 W0608 - 03061*,
 W1708 - 03061**, 2V
 6 Panels/pack, 1.5834 m²/pack



MTO
 2200 x 190 x 14 mm
 Coffee Oak, Variation
 W1011 - 01632*,
 W2011 - 01632**
 6 Panels/pack, 2.5080 m²/pack



Panels/pack - Plank design: 1 split plank/pack,
 Block design: 1 split plank/2 packs
 *Old product code. **New product code. MTO - Made to order

Created by nature, enhanced by Pergo

Classic Oak, 3 Strip

For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.

public Extreme

- Class 34 • AC-6 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain

Note: All in range SKU's under Original Excellence & Living Expression other than Sensation can be developed in Public Extreme on request.


original Excellence

- Class 33 • AC-5 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- Lifetime warranty* - Residential use: Fade, Wear and Stain



1200 x 190 x 8 mm

Vineyard Oak, Plank
L0201-03366 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Elegant Walnut, 2 Strip
L0201-01471 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Merbau, Plank
L0201-01599 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Sand Oak, Plank
L0205-01768 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Barista Oak, Plank
L0205-01769 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Heritage Oak, Plank
L0205-01775 Classic Plank 2V-EP
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Elegant Oak, 3 Strip
L0201-01789 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Walnut, 3 Strip
L0201-01791 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Premium Oak, Plank
L0201-01801 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Mountain Grey Oak, Plank
L0201-01802 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Thermotreated Oak, Plank
L0201-01803 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Natural Oak, Plank
L0201-01804 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Silver Oak, Plank
L0201-01807 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Natural Sawcut Oak, Plank
L0201-01809 Classic Plank
7 Panels/pack, 1.596 m²/pack



1200 x 123.4 x 8 mm

Ebony Oak, Plank
L0211-01818*
L1211-01818** Plank 4V
12 Panels/pack, 1.777 m²/pack

*Old product code. **New product code.

For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.



Elegant Walnut, 2 Strip

*Lifetime warranty means 33 years for residential use only. Commercial warranty on request.

For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.

It's a sensation

Can you tell the difference?

The new, deeper embossing brings out every grain in our wood designs

Beautiful details

Every design highlights the natural character of wood, even down into the bevels

A look to love

A new matt finish brings out the best of wood and puts the final touch on the Pergo Sensation floors

Feel the sensation


Visit your nearest dealer for a hands-on experience

living **Expression**



- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain • AquaSafe

Note: Sensation SKU's can also be developed in Original Excellence on request.



1380 x 190 x 8 mm
Limed Grey Oak, Plank
L0331-03367 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack



1380 x 190 x 8 mm
Manor Oak, Plank
L0331-03370 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack



1380 x 190 x 8 mm
Farmhouse Oak, Plank
L0331-03371 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack



1380 x 190 x 8 mm
Modern Danish Oak, Plank
L0331-03372 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack



1380 x 190 x 8 mm
Village Oak, Plank
L0331-03375 Modern Plank 4V
7 Panels/pack, 1.835 m²/pack

living **Expression**

- Class 32 • AC-4 Grade • TitanX™ • PerfectFold™ 3.0 • Antistatic • Hygienic
- 25 years warranty* - Residential use: Fade, Wear and Stain



2050 x 205 x 9.5 mm
Classic Beige Oak, Plank
L0323-03359 Long Plank 4V
6 Panels/pack, 2.522 m²/pack



2050 x 205 x 9.5 mm
Royal Oak, Plank
L0323-03360 Long Plank 4V
6 Panels/pack, 2.522 m²/pack



2050 x 205 x 9.5 mm
Chocolate Oak, Plank
L0323-01754 Long Plank 4V
6 Panels/pack, 2.522 m²/pack



2050 x 205 x 9.5 mm
Burnt Oak, Plank
L0323-01757 Long Plank 4V
6 Panels/pack, 2.522 m²/pack

*Commercial warranty on request.
For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.

DOMESTIC extra

• Class 32 • AC-4 Grade • 20 years warranty* - Residential use: Fade, Wear and Stain



1200 x 190 x 8 mm

Harmony Oak, Plank
L0701-1459
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Authentic Oak, Plank
L0701-1462
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

European Walnut, 3 Strip
L0701-1791
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

African Oak, Plank
L0701-1818
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Classic Grey Oak, 3 Strip
L0701-1821
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Classic Oak, Plank
L0701-1824
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Pecan, Plank
L0701-2123
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Salted Lapacho, Plank
L0701-2127
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Smoked Oak, Plank
L0701-2135
7 Panels/pack, 1.596 m²/pack




1200 x 190 x 8 mm

Italian Walnut, Plank
L0701-2136
7 Panels/pack, 1.596 m²/pack




1288 x 196 x 8 mm

Red Oak, Plank
L0499-2200
8 Panels/pack, 2.02 m²/pack



1200 x 190 x 8 mm

Spanish Oak, Plank
L0701-2254
7 Panels/pack, 1.596 m²/pack



1200 x 190 x 8 mm

Amber Oak, Plank
L0701-2259
7 Panels/pack, 1.596 m²/pack

*Commercial warranty on request.

For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.

Universal

• Class 31 • AC-3 Grade • 10 years warranty* - Residential use: Fade, Wear and Stain




1288 x 196 x 8 mm

Acacia Chocolate
PU-3500 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Acacia Smoked
PU-3503 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Empire Oak
PU-3506 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Canyon Pekan
PU-3507 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Caramel Walnut
PU-3514 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Everest Oak
PU-3523 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Classic Teak
PU-3525 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Classic Walnut
PU-3526 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Wenge Panga Panga
PU-3901 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Tropical Chengal
PU-4621 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Siam Teak
PU-4629 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Madagascar
PU-4630 Deep Emboss
8 Panels/pack, 2.02 m²/pack




1288 x 196 x 8 mm

Forest Oak
PU-4632 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Merbau Schiffsboden
PU-4641 Deep Emboss
8 Panels/pack, 2.02 m²/pack



1288 x 196 x 8 mm

Plateau Oak
PU-4661 Deep Emboss
8 Panels/pack, 2.02 m²/pack


For technical reasons actual product may differ from printed Decor Swatches, visit us for hands-on experience.

Don't worry about the environment. We do.

At Pergo, we care as much for the environment we help create in your home as the one we share outside. When you choose one of our floors, you should be able to feel safe in the knowledge that it has been produced using a minimum of resources. And we are proud to say: You can.

Our environmental policy affects our choice of raw materials, production processes, transportation and packaging. And it's not just words. We take great pride in putting our environmental ambitions into action. 80% of the content of our products consists of wood surplus from the wood industry. We use only renewable wood products such as pine and spruce – never exotic woods or wood from rainforests that are threatened with extinction.

We've come a long way. We were the first flooring manufacturer to have our products certified with the official Nordic Ecolabel, the Green Swan. Our PEFC certified products (Programme for the Endorsement of Forest Certification schemes) signify that the wood used in these products originates from sustainably managed forests. And we keep looking to find new solutions that are economical as well as sustainable. Because we believe there can't be one without the other.




Best durability!

Thanks to the patented TitanX™ surface protection, a Pergo laminate floor will keep its elegant finish year in and year out. TitanX™ is a multilayer technology that includes protective layers of aluminium oxide particles, which provides superior resistance to wear and scratching. And with the special impact layers combined with a high quality core material TitanX™ also provides very high resistance for handling dropped objects and high heels.



- 1 Superior wear and scratch resistance layer
- 2 Crystal clear decor
- 3 Excellent impact resistance
- 4 Moisture resistant HDF core
- 5 Back stabiliser



Why choose a Pergo floor!



Wear protection

Pergo's patented TitanX™ surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.



Easy installation

Pergo's patented PerfectFold™ 3.0 installation system makes installation faster and easier because you simply fold the floor into place.



Scratch resistance

The TitanX™ surface has an extra protective layer providing the best scratch and scuff resistance on the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



Water resistance

Pergo's Moisture Resistance System combines moisture resistant core materials with a strong and tight click joint. The result is some of the most moisture-resistant floors on the market.



Impact resistance

The unique multilayer construction of our TitanX™ surface together with a dense core material provides very high impact resistance for handling dropped objects and high heels.



High Fire Resistance

A Pergo floor with TitanX™ surface has a natural high resistance to fire thanks to its multilayer construction. This combined with the core's density allows for faster heat dissipation.



Easier Cleaning

A Pergo floor with TitanX™ surface is much easier to clean than ordinary floors. The reason is that the TitanX™ surface is so tightly sealed that dirt simply cannot take hold.



Anti-static

Pergo laminate floors eliminate static electricity. Electrostatic charges generated by Pergo laminate floors are generally very low, but to reduce them even more we have developed a technology to give selected floors permanent antistatic properties throughout the life of the floor.




Hygienic

A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive and the tightly sealed, easy to clean TitanX™ surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.



Your floor is just a click away!

Installing your Pergo floor is now faster and easier than ever. The innovative PerfectFold™ 3.0 system is available with Pergo laminate floors at all quality levels. Just click the planks together using the method that works best for you and you'll be done in no time. There's no risk of you damaging the floor panels. Even if you want to reinstall your planks, the PerfectFold™ 3.0 system makes it easy to lift them up and replace them when necessary.



Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



Insert horizontally

Unlike many other brands, Pergo laminate floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



Angle

If you prefer, Pergo offers a third option for installing your new laminate floor. Simply angle and click the planks together at the short end.

* Domestic Extra Uniclic comes with the Uniclic system offering two different installation methods: Angle & Insert horizontally.

Formats

| | Length | Panel, mm Width | Thickness | Panels/pack | m ² /pack | Packages Pack/pallet | m ² /pallet |
|---|--------|--------------------|-----------|-------------|----------------------|-------------------------|------------------------|
| public Extreme | | | | | | | |
| L0101-xxxxx Classic Plank | 1200 | 190 | 9 | 6 | 1.368 | 48 | 65.66 |
| L0105-xxxxx Classic Plank 2V – EP | 1200 | 190 | 9 | 6 | 1.368 | 48 | 65.66 |
| L0123-xxxxx Long Plank 4V | 2050 | 205 | 10 | 6 | 2.522 | 44 | 110.95 |
| original Excellence | | | | | | | |
| L0201-xxxxx Classic Plank | 1200 | 190 | 8 | 7 | 1.596 | 48 | 76.61 |
| L0205-xxxxx Classic Plank 2V – EP | 1200 | 190 | 8 | 7 | 1.596 | 48 | 76.61 |
| L0223-xxxxx Long Plank 4V | 2050 | 205 | 9,5 | 6 | 2.522 | 44 | 110.95 |
| L0231-xxxxx Modern Plank 4V – Sensation | 1380 | 190 | 8 | 7 | 1.835 | 48 | 88.08 |
| living Expression | | | | | | | |
| L0301-xxxxx Classic Plank | 1200 | 190 | 8 | 7 | 1.596 | 48 | 76.61 |
| L0305-xxxxx Classic Plank 2V – EP | 1200 | 190 | 8 | 7 | 1.596 | 48 | 76.61 |
| L0323-xxxxx Long Plank 4V | 2050 | 205 | 9,5 | 6 | 2.522 | 44 | 110.95 |
| L0331-xxxxx Modern Plank 4V – Sensation | 1380 | 190 | 8 | 7 | 1.835 | 48 | 88.08 |
| domestic Extra Uniclic | | | | | | | |
| L0701-xxxxx Classic Plank | 1200 | 190 | 8 | 7 | 1.596 | 48 | 76.61 |

Matching matrix

| | public Extreme | original Excellence | living Expression | Art.nr / Decor | 5-in-1 13 x 48 PGINCP(-) | Wallbase straight 14 x 58 PGSKR(-) |
|-------------|----------------|---------------------|---------------------------|----------------|--------------------------------|---|
| L0101-01471 | L0201-01471 | L0301-01471 | Elegant Walnut, 2-strip | 01471 | 01471 | |
| L0101-01599 | L0201-01599 | L0301-01599 | Merbau, plank | 01599 | 01599 | |
| L0101-01789 | L0201-01789 | L0301-01789 | Elegant Oak, 3-strip | 01789 | 01789 | |
| L0101-01791 | L0201-01791 | L0301-01791 | Walnut, 3-strip | 01791 | 01791 | |
| L0101-01801 | L0201-01801 | L0301-01801 | Premium Oak, plank | 01801 | 01801 | |
| L0101-01802 | L0201-01802 | L0301-01802 | Mountain Grey Oak, plank | 01802 | 01802 | |
| L0101-01803 | L0201-01803 | L0301-01803 | Thermotreated Oak, plank | 01803 | 01803 | |
| L0101-01804 | L0201-01804 | L0301-01804 | Natural Oak, plank | 01731 | 01731 | |
| L0101-01807 | L0201-01807 | L0301-01807 | Silver Oak, plank | 01807 | 01807 | |
| L0101-01809 | L0201-01809 | L0301-01809 | Natural Sawcut Oak, plank | 01798 | 01798 | |
| L0101-03366 | L0201-03366 | L0301-03366 | Vineyard Oak, plank | 03366 | 03366 | |
| L0105-01768 | L0205-01768 | L0305-01768 | Sand Oak, plank | 01768 | 01768 | |
| L0105-01769 | L0205-01769 | L0305-01769 | Barista Oak, plank | 01769 | 01769 | |
| L0105-01775 | L0205-01775 | L0305-01775 | Heritage Oak, plank | 01775 | 01775 | |
| L0123-01757 | L0223-01757 | L0323-01757 | Burnt Oak, plank | 01757 | 01757 | |
| L0123-01764 | L0223-01764 | L0323-01764 | Winter Oak, plank | 01764 | 01764 | |
| L0123-03359 | L0223-03359 | L0323-03359 | Classic Beige Oak, plank | 03359 | 03359 | |
| L0123-03360 | L0223-03360 | L0323-03360 | Royal Oak, plank | 03360 | 03360 | |
| | L0231-03367 | L0331-03367 | Limed Grey Oak, plank | 03367 | 03367 | |
| | L0231-03370 | L0331-03370 | Manor Oak, plank | 03370 | 03370 | |
| | L0231-03371 | L0331-03371 | Farmhouse Oak, plank | 03371 | 03371 | |
| | L0231-03372 | L0331-03372 | Modern Danish Oak, plank | 03372 | 03372 | |
| | L0231-03375 | L0331-03375 | Village Oak, plank | 03375 | 03375 | |

Technical guide

| Features | public Extreme | original Excellence | living Expression | domestic Extra Uniclic |
|-------------------------------------|---------------------|-------------------------|-------------------------|-------------------------|
| TitanX™ | • | • | • | • |
| Scratch Resistance | Very high | Very high | High | High |
| Moisture Resistance | Very high | High | High | Medium |
| PerfectFold™ 3.0 | • | • | • | – |
| Antistatic | • | • | • | • |
| Hygienic | • | • | • | • |
| Environmental label PEFC | • | • | • | • |
| Environmental label Nordic Ecolabel | • | • | • | • |
| Triple Guarantee | Lifetime | Lifetime | 25 years | 20 years |
| Technical | Standard | | | |
| Class of use | EN 13329 | 34 | 33 | 32 |
| Fire classification | EN 13501 | Bf-s1 | Bf-s1 | Cf-s1 |
| Formaldehyde emission | EN 717 | E1 | E1 | E1 |
| VOC emission | agBB/DIBt | • | • | • |
| Generic anti-microbial effect | JIS Z 2801 | > 99% | > 99% | > 99% |
| Wear Resistance | EN 13329 | AC6 | AC5 | AC4 |
| Impact Resistance | EN 13329 | IC4 | IC3 | IC2 |
| Resistance to Castor Chair | EN 13329 (class 34) | No damage | – | – |
| Resistance to Castor Chair | EN 13329 | No damage | No damage | No damage |
| Slip Resistance | EN 14041 | Class DS | Class DS | Class DS |
| Thermal Resistance | EN 12667 | 0,07 m ² K/W | 0,07 m ² K/W | 0,06 m ² K/W |
| Body Voltage | EN 1815 | <2kV (antistatic) | <2kV (antistatic) | <2kV (antistatic) |



INCIZO®
PATENTED TECHNOLOGY




PGINCP(-)
2150 x 13 x 48 mm
(see matching matrix for correct art no)

5 perfect finishes in 1


Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in texture, and the all-in-one solutions provide a seamless result. The surface is wear and scratch-resistant laminate. The core consists of HDF and the bottom is made of plastic. With the patented Incizo® solution, you simply cut the moulding to the shape you need. Suitable for flooring heights between 7 and 10 mm.




1
T-moulding
From laminate to laminate




2
Carpet transition
From laminate to carpet




3
Hard surface reducer
From laminate to ceramic, vinyl or linoleum



4
End moulding
Finishing up to threshold, sliding doors, etc




5
Stair nose moulding, flush
For a flush finish on stair treads




5
Stair nose moulding
For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room

5
Stair nose aluminium (on request)
Fits to flooring thickness of 7 - 16 mm, W = 23 mm, L = 2.7 m. PGSTPSILV, silver. Surface: aluminium.



The Incizo® subprofile is required for stair application and has to be ordered separately. NEINCPBASE (on request)



Wallbase, straight
PGSKR(-), 2400 x 14 x 58 mm
PGPSKR(-), 2400 x 14 x 77 mm (on request)
See matching matrix for correct art no.

Colour matched.
Surface: wear and scratch-resistant laminate.
Core: MDF.



Combi moulding, aluminium (on request)
PGPRSILV, silver

T-moulding and reducer in one. Plastic bottom rail. Suitable for height differences of 0 - 12.3 mm. 1860 x 47 mm, H: 10 mm (uninstalled). Colour: silver. Surface: aluminium.



End moulding, aluminium (on request)
PGENPSILV, silver

Fits to flooring thickness of 6 - 10 mm. 2700 x 25 mm. Colour: silver. Surface: aluminium.

Aqua accessories

– for wet area use with Pergo Sensation floors



Aqua Sealant

PGKITTRANSP
310 ml. A high-quality, transparent and elastic one-component silicone that creates an invisible and waterproof finishing around wallbases, mouldings, transitions, door frames, etc.



Foamstrip

NEFOAMSTRIP20
20 m x 10 mm. PE foam expansion joint filler. Serves as an elastic filler of all dilatation gaps around the floor perimeter. Requires sealing with Aqua Sealant.

Maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all round cleaner removes dirt without leaving a film if used correctly.



Cleaning kit
PGCLEANKIT
High-quality mop set with extra long ergonomic handle and a mop cloth holder with a practical Velcro fastener for attaching the mop cloth.

Separate mop cloth
PGCLEANMOP



All round Floor Cleaner
PGCLEANALL1000
Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax
PGREPAIR
Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com